

DUPLICATE

Docket Number: IN01536KB

Application No: 10/716,890

Filing Date: 11/19/2003

Express Mail Label:

PTO/SB/44 (04-04)

Approved for use through 04/30/2007. OMB 0831-0033

U.S. Patent and Trademark Office, U.S. DEPARTMENT OF COMMERCE

(Also Form PTO-1050)

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION

501. No. 10716890  
PATENT NO. : US 7,034,057 B2  
DATED : 04/25/2006  
INVENTOR(S) : Zhaoning ZHU et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

## In the Specification:

On the Cover Page, left side column, line 76: Please correct inventor "Robert Mazzola" to  
- Robert Mazzola, Jr. -

## In the Claims:

Claim 1, col. 265, line 65: Please correct "sorials" to - psoriasis -

Claim 1, col. 268, line 56: Please correct "C2CF3" to - CF2CF3 -

## MAILING ADDRESS OF SENDER:

PALANIYUR S. KALYANARAMAN

Schering-Plough Corporation, Patent Dept. K-6-1, 1990  
2000 Gallop Hill Road, Kenilworth NJ 07033-0530

PATENT NO. US 7,034,057

No. of additional copies

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

If you need assistance in completing the form, call 1-800-PTO-0199 and select option 2.



UNITED STATES PATENT AND TRADEMARK OFFICE

---

Commissioner for Patents  
United States Patent and Trademark Office  
P.O. Box 1450  
Alexandria, VA 22313-1450  
[www.uspto.gov](http://www.uspto.gov)

Date Mailed : July 26, 2006

Patent No. : 7,034,057 B2

Inventor : Zhu et al

Patent Issued : April 25, 2006

Title : COMPOUNDS FOR THE TREATMENT OF INFLAMMATORY  
DISORDERS

Docket No. : IN01535KB

Re: Request for Certificate of Correction

Consideration has been given your request for the issuance of a certificate of correction for the above-identified patent under the provisions of Rule 1.322.

The inventors' names are printed in accordance with the typed names on the Declaration, therefore the error was the result of applicants' failure to comply with the requirement that the correct names be indicated on the Declaration or Oath. No correction is in order here under the provisions of Rule 1.322.

In view of the foregoing, your request for certificate of correction is hereby denied. However, further consideration will be given these matters, upon receipt of a request for certificate of correction under the provisions of 1.323, accompanied by the appropriate fee which is presently \$100.

A certificate of correction will be issued to correct the error(s) noted in your request.

Future correspondence concerning this matter should be filed and directed to Decisions & Certificates of Correction Branch.

Commissioner of Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450  
Attn: Certificates of Correction Branch

David Irvine  
Cecilia Newman, Supervisor

Decisions & Certificates of Correction Branch  
703/308-9590 or 703/305-4362 (Fax 571/273-9927)

Palaiyur S. Kalyanaraman  
Schering-Plough Corporation  
Patent department K-6-1, 1990  
2000 Galloping Hill Road  
Kenilworth, N.J. 07033-0530

CBN/ di